Application/Control Number: 10/518,375 Page 2

Art Unit: 1794

SUPPLEMENTAL EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted

- 2. Authorization for this examiner's amendment was given in a telephone
- 3. The application has been amended as follows:

interview with James E. Armstrong, IV on December 30, 2008.

no later than the payment of the issue fee.

Please amend Claim 10 so that it is dependent upon Claim 1.

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to David J. Joy whose telephone number is (571) 272-9056. The examiner can normally be reached on Monday - Friday, 7:00 AM - 3:30 PM EST.

Application/Control Number: 10/518,375

Art Unit: 1794

5. If attempts to reach the examiner by telephone are unsuccessful, the examiner's

Page 3

supervisor, Callie E. Shosho can be reached on (571) 272-1123. The fax phone number

for the organization where this application or proceeding is assigned is (571) 273-8300.

6. Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/DJJ/

Examiner, Art Unit 1794

12/30/2008

/Callie E. Shosho/

Supervisory Patent Examiner, Art Unit 1794